
TECHNICAL HANDBOOK FOR
ENVIRONMENTAL HEALTH AND ENGINEERING
VOLUME VI - FACILITIES ENGINEERING

PART 73 - FACILITIES ENGINEERING DEFICIENCY SYSTEM

CHAPTER 73-2 DEFINITIONS

DEEP LOOK - An in-depth evaluation of the physical condition and functional performance of the real property (i.e., structure, appurtenances), building service equipment, utilities, grounds, program space utilization conducted every five years by a team of professionals from Engineering Services Dallas or Seattle or an Architect/Engineer firm hired by them. Identified deficiencies are limited to those estimated to cost over \$1,000 to correct. Deficiencies costing less than \$1,000 will not be entered into the FEDS data base but will be maintained at the service unit level for local correction through local projects.

INSPECTION - The critical examination of a system, components of a system or individual equipment items to determine its conformance to applicable quality standards or specifications of operation (e.g., elevator, boiler, cooling tower).

MAINTENANCE - Maintenance is work to keep a facility in a usable state or condition and in operation for its intended purpose. It includes construction performed to improve or increase the operation of the facility, or enhance the aesthetics.

INSTALLATION (FACILITY) - Separately located and defined real property that stands alone as an entity, a building or group of buildings, a structure and utility systems and/or the associated site (e.g. health center, clinic, hospital, quarters, or health center and quarters, hospital and quarters). Each defined facility or acreage is uniquely identified with a real property inventory number that identifies it from all other government installations. An installation consists of the land (acreage), together with improvements (utilities), structures (pump houses), and fixtures (fence, lighting posts) located thereon (including pre-fabricated movable structures, such as pre-fabricated (Butler) buildings, Quonset huts, and trailers (with or without undercarriages), and appurtenances thereto, excluding moveable machinery and equipment.

BUILDING SERVICE EQUIPMENT - This is equipment which is permanently installed in or attached to buildings or structures for the purpose of rendering such building or structure usable or habitable. The removal of such equipment would generally require major or significant repairs or improvements to place the area in which it was located in a usable condition. Examples of building service equipment include the heating

TECHNICAL HANDBOOK FOR
ENVIRONMENTAL HEALTH AND ENGINEERING
VOLUME VI - FACILITIES ENGINEERING
PART 73 - FACILITIES ENGINEERING DEFICIENCY SYSTEM

and cooling system (boilers, air handlers, control air compressors, piping, etc.), elevators, plumbing system (piping, sinks, toilets, etc.), and electrical system (lighting fixtures, electrical panels, receptacles, etc.).

ANNUAL GENERAL INSPECTION (AGI) - Surveys accomplished by each IHS Area office annually for the purpose of:

- (1) Reviewing the status of FEDS entries in the latest data base printout,
- (2) Providing consultive services for new additional recommendations,
- (3) Reviewing problem areas or re-estimating deficiencies,
- (4) Assessing any additional building that have been acquired since the last deep look, and
- (5) Re-assessing buildings for recently developed problems.

FACILITY - See installation above

BACKLOG OF ESSENTIAL MAINTENANCE AND REPAIR (BEMAR) - This is a category of maintenance and repair type deficiencies that have repeatedly been deferred because of a lack of staffing or funds to implement corrective measures. This category excludes deficiencies resulting from lack of program space or proposed improvements to enhance the efficient operation of the facility.

DEFICIENCY - An existing item that is in poor physical condition, or does not exist, or does not comply with current minimum acceptable mandatory standards. Deficiencies include items that must be corrected to meet public law, regulatory provisions, and recognized engineering and management standards. Deficiencies are grouped by category in the FEDS database.

FACILITIES WORK ESTIMATION AND APPROVAL FORM (HHS 430) - This form is utilized to document deficiencies and provide narratives and recommended actions. The reverse side may be used as a bill of materials cost estimating sheet.

DEFICIENCY CODES - Deficiency codes are the numbers assigned to categorize deficiencies into workable groups. These codes are used to group the deficiencies in the FEDS database.

TECHNICAL HANDBOOK FOR
ENVIRONMENTAL HEALTH AND ENGINEERING
VOLUME VI - FACILITIES ENGINEERING
PART 73 - FACILITIES ENGINEERING DEFICIENCY SYSTEM

The following codes are utilized:

- 01 PATIENT CARE - Deficiencies in the patient's social environment such as inadequacy of; space to support services, closet and drawer space for storing personal property, an environment that fosters a positive self image, privacy to reflect sensitivity to patients' age, developmental levels, and clinical needs, activities to support the development and maintenance of the patient's interests, the appropriate number of patients per room, telephones for patient private conversations, furnishings and equipment suitable to the population served appropriate to the length of stay for therapeutic reasons.

- 02 LIFE SAFETY COMPLIANCE - Deficiencies in the features of fire protection requirements of the structure which result in a lack of full compliance with the Life Safety Code, NFPA 101. For example; inadequate fire barriers, smoke barriers, means of egress, door ratings, and fire protection equipment requirements.

- 03 OCCUPATIONAL SAFETY - Deficiencies generated from the lack of compliance with the Occupational Safety and Health Act (OSHA).

- 04 ENVIRONMENTAL COMPLIANCE - Deficiencies in environmental compliance with of Federal, State or Local environmental laws and regulations. For example; underground storage tank, boiler and incinerator emissions, sewage effluent, asbestos, radon, disposal of hazardous wastes, and industrial hygiene.

- 05 PROGRAM IMPROVEMENTS - Modifications or enhancements to existing workflow patterns through improvements to the structure to increase the efficiency of the delivery of health care. This is accomplished through; expansion of program functions within existing space through re-alignment of existing functions, erection of additional space to compensate for displaced existing functions and/or erection of additional space to directly expand programs, and modifications required as a direct result of installation of additional or replacement personal property equipment.

- 07 HANDICAPPED COMPLIANCE - Deficiencies resulting from non-compliance with the American with Disabilities Act (ADA). For example; handicapped accessibility in the parking area, building entrances, toilets, drinking fountains, elevators, telephones, fire alarm, and others.

TECHNICAL HANDBOOK FOR
ENVIRONMENTAL HEALTH AND ENGINEERING
VOLUME VI - FACILITIES ENGINEERING
PART 73 - FACILITIES ENGINEERING DEFICIENCY SYSTEM

- 08 ENERGY CONSERVATION - Energy conservation opportunities (improvements) to the structure or building service equipment systems that has a life cycle cost effectiveness and a payback of less than ten years.
- 11 BEMAR STRUCTURAL - Structural items that should be replaced or repaired on a recurring basis due to normal wear and tear to maintain the real property in good operating condition. For example; doors, ceilings, floor coverings, windows, tuckpointing, waterproofing, painting, roofing, and others.
- 12 BEMAR MECHANICAL - Real property mechanical systems or individual components of the systems that should be replaced or repaired on a recurring basis due to normal wear and tear to maintain the real property in good operating condition. For example; HVAC central/package units, pneumatic controls, exhaust fans, chillers, cooling towers, plumbing, fuel, potable water, fire alarm, lift stations, fire sprinklers, and automatic extinguishing hoods.
- 13 BEMAR ELECTRICAL - Real property electrical normal and emergency power systems or individual components of the systems that should be replaced or repaired on a recurring basis due to normal wear and tear to maintain the real property in good operating condition. For example; transformers, emergency generators, switchgear, wiring, main breakers, and others.
- 15 BEMAR GROUNDS - Real property grounds components that should be replaced or repaired on a recurring basis due to normal wear and tear to maintain the real property in good operating condition. For example; trees, sod, erosion, lawn sprinklers, parking, bridges, cattle crossings, fences, and roadways.
- 16 BEMAR QUARTERS - Real and personal property structural, mechanical, electrical and grounds components associated with personnel quarters that should be replaced or repaired on a recurring basis due to normal wear and tear to maintain the real property in good operating condition.